

# Material Safety Data Sheet according to (EC) 1907/2006



Tradename:

**IMPRIMO® LC Temp**

Status: 28.05.2024

Page: 1 von 10

## SECTION 1: Identification of the substance/preparation and of the company/undertaking

### 1.1. Product identifier

Name of product: **IMPRIMO® LC Temp**

UFI: ERX0-N5SH-1T3T-CKWA

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Manufacture

Uses advised against

Private households (= general public)

### 1.3. Details of the supplier of the safety data sheet

#### Distributor

SCHEU-DENTAL GmbH

Am Burgberg 20

58642 Iserlohn

Tel.-No. +49 (0) 2374/ 9288-0

Fax-No. +49 (0) 2374/ 9288-90

Email: [service@SCHEU-DENTAL.com](mailto:service@SCHEU-DENTAL.com)

Internet: [www.SCHEU-DENTAL.com](http://www.SCHEU-DENTAL.com)

#### Manufacturer

pro3dure medical GmbH

Am Burgberg 13

D-58642 Iserlohn

Telephone: +49 (0)2374 920050-10

Telefax: +49 (0)2374 920050-50

E-Mail (fachkundige Person) [info@pro3dure.com](mailto:info@pro3dure.com)

Webseite: [www.pro3dure.com](http://www.pro3dure.com)

### 1.4. Emergency telephone number: +49 (2374) 920050-10

pro3dure medical GmbH

This number is serviced during office hours.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2, H315

Eye Irrit. 2, H319

Skin Sens. 1/1A/1B, H317

STOT SE 3, H335

Aquatic Chronic 2, H411

### 2.2. Label elements

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Signal word: Warning

Pictograms: GHS07 /



# Material Safety Data Sheet according to (EC) 1907/2006



Tradename:

**IMPRIMO® LC Temp**

Status: 28.05.2024

Page: 2 von 10

## Hazard statements

H315	Causes skin irritation
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

## Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+352	IF ON SKIN: Wash with plenty of water/soap.
P304+340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P321	Specific treatment (see label).
P332+313	If skin irritation occurs: Get medical advice/attention.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P337+313	If eye irritation persists: Get medical advice/attention.
P362+364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container acc. to official regulations.

## Special labelling of particular preparations:

-

## 2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

## SECTION 3: Composition / information on ingredients

### 3.1. Substances


not applicable

### 3.2. Mixtures

Mixture with, among others, the following ingredients and other non-hazardous admixtures

## Composition/information on ingredients

Stoff:	CAS-No.:	REACH-No.:	Concentration:	Classification: EC 1272/2008 (CLP):	M, ATE, Note
Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid	41637-38-1		25 - 45 %	Skin Irrit. 2, H315; Skin Sens. 1/1A/1B, H317; Eye Irrit. 2, H319; STOT SE 3, H335	ATE (dermal) = 2000 ATE (oral) = 2000 ATE (inhalativ) = Kein Wert ermittelbar
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate	72869-86-4	01-2120751202-68-XXXX	25 - 45 %	Skin Sens. 1/1A/1B, H317; Aquatic Chronic 2, H411	ATE (dermal) = 2000 mg/kg bw ATE (oral) = 5000 mg/kg bw ATE (inhalativ) = Kein Wert ermittelbar
3,6,9-Trioxaundecamethylendim ethacrylat	109-17-1		07 - 10 %	Skin Irrit. 2, H315; Eye Irrit. 2, H319	M = 0 ATE (dermal) = 3000 mg/kg bw ATE (oral) = 5000 mg/kg bw ATE (inhalativ) = Kein Wert ermittelbar
2-Propenoic acid, reaction products with pentaerythritol	1245638-61-2	01-2119490003-49	< 02 %	Skin Sens. 1/1A/1B, H317; Eye Dam. 1, H318; Aquatic Chronic 2, H411	M = 1 ATE (dermal) = >2000 mg/kg ATE (oral) = >2000 mg/kg ATE (inhalativ) = >5 mg/l

<b>Material Safety Data Sheet</b> according to (EC) 1907/2006		
Tradename:  <div style="text-align: center;"><b>IMPRIMO® LC Temp</b></div>		Status: 28.05.2024 Page: 3 von 10

Stoff:	CAS-No.:	REACH-No.:	Concentration:	Classification: EC 1272/2008 (CLP):	M, ATE, Note
Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxid	75980-60-8		< 02 %	Repr. 2, H361; Skin Sens. 1/1A/1B, H317; Aquatic Chronic 2, H411	M = 1 ATE (dermal) = 2000 ATE (oral) = 5000 ATE (inhalativ) = 2000

Full text of H- and EUH-phrases: see Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General Information:</b>	In case of accident or unwellness, seek medical advice immediately. Take off immediately all contaminated clothing.
<b>In case of inhalation:</b>	Provide fresh air. Seek medical attention if problems persist.
<b>Following skin contact:</b>	After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician. Change contaminated, saturated clothing.
<b>After eyes contact:</b>	In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Seek medical attention if problems persist.
<b>After ingestion:</b>	Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Consult an ophthalmologist.

### 4.2. Most important symptoms and effects, both acute and delayed

May cause sensitization by skin contact.

### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

ABC-powder, BC-powder, alcohol resistant foam. Carbon dioxide (CO<sub>2</sub>). Sand

#### Unsuitable extinguishing media

Water spray jet. Excess water. Full water jet.

### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide.

### 5.3. Advice for firefighters

#### General information

Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

#### Special protective equipment for fire-fighters:

In case of fire: Wear self-contained breathing apparatus. Wear chemical resistant suit.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. Remove persons to safety. Remove all sources of ignition. Provide adequate ventilation.

### 6.2. Environmental precautions

Do not allow to enter into surface or drains. Do not allow to enter into soil/subsoil.

# Material Safety Data Sheet according to (EC) 1907/2006



Tradename:

**IMPRIMO® LC Temp**

Status: 28.05.2024

Page: 4 von 10

## **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and Storage**

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

When using do not eat, drink, smoke, sniff. Use only in well-ventilated areas. All work processes must always be designed so that the following is as low as possible: Inhalation

#### **Precautions against fire and explosion**

Always close containers tightly after the removal of product. Use only in well-ventilated areas.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage rooms and vessels**

Keep container tightly closed and store in a well-ventilated place. Protect against: UV-radiation/sunlight.

#### **Hints on joint storage**

Do not store together with: Oxidizing agent. Organic peroxides. Keep away from food, drink and animal feedingstuffs.

### **7.3 Specific end use(s)**

Observe instructions for use.

## **SECTION 8: Exposure controls / personal protection**

### **8.1. Control parameters**

#### **occupational exposure limit value**

Substance	CAS-No.		Source	Occupational exposure limit value: [ppm]	Occupational exposure limit value: [mg/m³]	Limitation of exposure peaks:	Remark:
-----------	---------	--	--------	--	--	-------------------------------	---------


#### **Substance with a common (EC) occupational exposure limit value**

Substance	CAS-No.		Source	Occupational exposure limit value: [ppm]	Occupational exposure limit value: [mg/m³]	Limitation of exposure peaks:	Remark:
-----------	---------	--	--------	--	--	-------------------------------	---------

## **DNEL/PNEC values**

### **DNEL value**

Substance:	CAS-No.:	DNEL/DMEL
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate	72869-86-4	worker inhalative systemic 3,3 mg/m³ worker dermal systemic 1,3 mg/kg bw /24h population inhalative systemic 0,6 mg/m³ population dermal systemic 0,7 mg/kg bw/24h population systemic 0,3 mg/kg bw/24h
3,6,9-trioxaundecamethylenedimethacrylate	109-17-1	worker inhalative long-term, systemic 48,5 mg/m³ worker dermal long-term, systemic 13,9 mg/kg bw/day population inhalative long-term, systemic 14,5 mg/m³ population dermal long-term, systemic 8,33 mg/kg bw/day population oral long-term, systemic 8,33 mg/kg bw/day
Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	worker inhalative long-term, systemic 0,822 mg/m³ worker dermal long-term, systemic 0,233 mg/kg bw/day population inhalative long-term, systemic 0,145 mg/m³ population dermal long-term, systemic 0,0833 mg/kg bw/day population oral long-term, systemic 0,0833 mg/kg bw/day

<b>Material Safety Data Sheet</b> according to (EC) 1907/2006		
Tradename:	<b>IMPRIMO® LC Temp</b>	
		Status: 28.05.2024 Page: 5 von 10

Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid	41637-38-1	worker inhalative short-term, systemic 3,52 mg/m <sup>3</sup> worker dermal short-term, systemic 2 mg/m <sup>3</sup> /24h population inhalative short-term, systemic 870 µg/m <sup>3</sup> population dermal short-term, systemic 1 mg/m <sup>3</sup> /24h population short-term, systemic 500 µg/m <sup>3</sup> /24h
---	------------	---

#### PNEC-Wert

Substance:	CAS-No.:	PNEC
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate	72869-86-4	aquatic, freshwater 0,01 µg/l aquatic, marine water 0,001 µg/l sewage treatment plant 3,61 µg/l sediment, freshwater 4,56 µg/kg dw sediment, marine water 0,46 µg/kg dw soil 0,91 µg/kg dw
Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	aquatic, freshwater 1,4 µg/l aquatic, marine water 0,14 µg/l sediment, freshwater 115 µg/kg dw sediment, marine water 11,5 µg/kg dw soil 22,2 µg/kg dw
2-Propenoic acid, reaction products with pentaerythritol	1245638-61-2	aquatic, freshwater 3,2 µg/l aquatic, marine water 0 ng/l STP 10 mg/l sediment, freshwater 1730 µg/l sediment, marine water 173 µg/l intermittent release, freshwater 32 µg/l soil 340 µg/kg dw

#### Additional information

None.

#### 8.2. Exposure controls

##### Occupational exposure controls.

Provide adequate ventilation as well as local exhaust at critical locations. Technical measures and the application of suitable work processes have priority over personal protection equipment.

##### General protection and hygiene measures

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Apply skin care products after work. Wash contaminated clothing prior to re-use.

##### Personal protection equipment

Only wear fitting, comfortable and clean protective clothing.

##### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at: insufficient ventilation. Suitable respiratory protection apparatus: Protective respiration apparatus not using surrounding air (breathing apparatus) (DIN EN 133).

##### Hand protection

Tested protective gloves are to be worn: DIN-/EN-Norms: EN ISO 374 Suitable material: Butyl rubber.

##### Eye/face protection

Eye glasses with side protection

##### Body protection:

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes). Only wear fitting, comfortable and clean protective clothing. Barrier creams are not substitutes for body protection.

##### Environmental exposure controls.


Refer to chapter 7. No further action is necessary

##### Consumer exposure controls

Refer to chapter 7. No further action is necessary.

##### Exposure Scenario

Skin contact. Inhalation.

<b>Material Safety Data Sheet</b> according to (EC) 1907/2006		
Tradename:	<b>IMPRIMO® LC Temp</b>	
		Status: 28.05.2024 Page: 6 von 10

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state:	Liquid
Colour:	White
Odour:	fruity
Odour threshold:	No data available

#### Safety relevant basis data

	Parameter	Value	Unit	Remark
Melting point/freezing point:				No data available
Initial boiling point and boiling range:				No data available
Flammability:				No data available
Lower flammability or explosive limits:				No data available
Upper flammability or explosive limits:				No data available
Decomposition temperature:				No data available
pH:				No data available
Kinematic viscosity:		1-3	mPa*s	20 °C
Water solubility (g/l):				
Partition coefficient: n-octanol/water:				No data available
Vapour pressure:				No data available
Density:		1,1	g/l	20 °C
Relative density:				No data available
Particle properties:				No data available

### 9.2. Other information

none

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

With proper storage and handling the product is stable.

### 10.3. Possibility of hazardous reactions

Polymerisation

### 10.4. Conditions to avoid

Heat. Frost. UV-radiation/sunlight.

### 10.5. Incompatible materials

Can polymerise exothermically if heated, exposed to air, sunlight or by addition or free radical initiators.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon dioxide. Carbon monoxide.

## SECTION 11: Toxicological Information

### 11.1. Information on toxicological effects


There are no data available on the preparation/mixture itself.

M-factor: -

Acute toxicity (oral): 2000 mg/kg

Acute toxicity (dermal): 2000 mg/kg

Acute toxicity (inhalative): -

<b>Material Safety Data Sheet</b> according to (EC) 1907/2006		
Tradename:	<b>IMPRIMO® LC Temp</b>	
		Status: 28.05.2024 Page: 7 von 10

#### Acute toxicity

Substance:	CAS-No.:	Toxicological information
2-Propenoic acid, reaction products with pentaerythritol	1245638-61-2	LD50 oral (rat) > 2000 mg/kg LD50 dermal (Rabbit) > 2000 mg/kg LC50 inhalation (rat, 4 h) > 5 mg/l
Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid	41637-38-1	LD50 oral (rat) 2000 mg/kg LD50 dermal (rat) 2000 mg/kg
Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	LC50 inhalation (rat) 2000 mg/kg bw LD50 oral (rat) 5000 mg/kg bw LD50 dermal (rat) > 2000 mg/kg bw
3,6,9-trioxaundecamethylenedimethacrylate	109-17-1	LD50 dermal (rat) > 3000 mg/kg LD50 oral (rat) > 5000 mg/kg
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	72869-86-4	LD50 oral (rat) > 5000 mg/kg LD50 dermal (rat) > 2000 mg/kg NOAEL Repr.-Tox. (rat) 1000 mg/kg/d NOAEL STOT-RE (rat) 100 mg/kg/d

#### Skin corrosion/irritation:

Frequently or prolonged contact with skin may cause dermal irritation.

#### Serious eye damage/irritation:

Irritant.

#### Respiratory of skin sensitisation:

May cause sensitization especially in sensitive humans.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity:

No information available.

Germ cell mutagenicity:

No information available.

Reproductive toxicity:

No information available.

#### STOT-single exposure:

No information available.

#### STOT-repeated exposure:

No information available.

#### Aspiration hazard:

The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

## SECTION 12: Ecological Information

### 12.1. Toxicity

There are no data available on the preparation/mixture itself.

#### Ecotoxicity

Substance:	CAS-No.:	Ecotoxicity
2-Propenoic acid, reaction products with pentaerythritol	1245638-61-2	LC50 (fish, 96 h) 3,2 mg/l LC50 (crustaceans, 48h) 13 mg/l EC50 (algae, 96 h) 33 mg/l
Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid	41637-38-1	LC50 (fish, 96h) 100 mg/l LC50 (crustaceans, 48 h) 6 mg/l EC50 (algae, 72 h) 100 mg/l
Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	EC50 (Daphnia, 48 h) 3,53 mg/l EC50 (algae, 72 h) > 2,01 mg/l
3,6,9-trioxaundecamethylenedimethacrylate	109-17-1	EC50 Daphnia (Daphnia magna) 48 h 381 mg/l

<b>Material Safety Data Sheet</b> according to (EC) 1907/2006	
Tradename:  <div style="text-align: center; font-weight: bold; font-size: 1.2em;">IMPRIMO® LC Temp</div>	Status: 28.05.2024 Page: 8 von 10

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	72869-86-4	LC 50 (Daphnia) > 1,2 mg/l EC50 (algae, 72 h) > 0,68 mg/l LC50 (fish, 96 h) 101 mg/l EC50 (Daphnia, 48 h) > 12 mg/l NOEC (algae, 72 h) 21 mg/l
--	------------	--

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT an vPvB assessment**

There are no data available on the mixture itself.

**12.6. Endocrine disruptive effect**

There are no data available on the preparation/mixture itself.

**12.7. Other adverse effects**

There are no data available on the mixture itself.

---

**SECTION 13: Disposal considerations**

---

**13.1. Waste treatment methods**

**Appropriate disposal / Product:**

Dispose of waste according to applicable legislation. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Must not be disposed together with household garbage.

**Appropriate disposal / Package**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

**List of proposed waste codes/waste designations in accordance with EWC / AVV**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

---

**SECTION 14: Transport Information**

---


**Land transport (ADR/RID)**

<b>14.1. UN number:</b> <b>14.2. UN proper shipping name:</b> <b>14.3. Transport hazard class(es):</b> <b>14.4. Packing group:</b> Hazard label: Classification code: Special Provisions: Limited quantity: Transport category: Hazard No: Tunnel restriction code: <b>Other applicable information (land transport)</b>	No hazardous material according to transport regulations.
---	---

**Inland waterways transport (ADN)**

<b>14.1. UN number:</b> <b>14.2. UN proper shipping name:</b> <b>14.3. Transport hazard class(es):</b> <b>14.4. Packing group:</b> Hazard label: Classification code: Spezial Provisions:	No hazardous material according to transport regulations.
---	---



<b>Material Safety Data Sheet</b> according to (EC) 1907/2006		
Tradename:	<b>IMPRIMO® LC Temp</b>	
		Status: 28.05.2024 Page: 9 von 10

Limited quantity:	
Other applicable information (inland waterways transport)	

<b>Marine transport (IMDG)</b>	
14.1. UN number:	No hazardous material according to transport regulations.
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	
14.4. Packaging group:	
Hazard label:	
Special Provisions::	
Limited quantity:	
EmS:	
Other applicable information (marine transport):	

<b>Air transport (ICAO)</b>		
14.1. UN number:	No hazardous material according to transport regulations.	
14.2. UN proper shipping name:		
14.3. Transport hazard class(es):		
14.4. Packaging group:		
Hazard label:		
Special Provisions:		
Limited quantity Passenger:		
IATA-packing instructions - Passenger:		
IATA-max. quantity - Passenger:		
IATA-packing instructions - Cargo:		
IATA-max. quantity - Cargo:		
Other applicable information (air transport)		
Passenger-LQ:		

14.5. Environmental hazards

ADR/RID / IMDG / ICAO-TI / IATA-DGR: no  
Marine pollutant: no

14.6. Special precautions for user  
Land transport (ADR/RID)

Transport category: -  
Special provisions: -  
Tunnel restriction code: -  
Limited quantity (LQ): -

Sea transport (IMDG)

EmS-No: -  
Special provisions: -  
Limited quantity (LQ): -

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  
Remark -


SECTION 15: Regulatory Information

15.1. Safety, health an environmental regulations/legislation specific for the substance or mixture

EU legislation  
Information on Regulation (EC) No 166/2006 establishing a European Pollutant Release and Transfer Register:  
-

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer:  
-

Regulation (EC) No. 648/2004 (Detergents regulation)  
-

<b>Material Safety Data Sheet</b> according to (EC) 1907/2006		
Tradename:	<b>IMPRIMO® LC Temp</b>	
		Status: 28.05.2024 Page: 10 von 10

**Regulation (EC) No. 850/2004 [POP-Regulation]:**

-

**Regulation (EC) No. 649/2012 on the export and import of dangerous chemicals:**

not relevant

**Use restriction according to REACH annex XVII, no.:**

-

**National regulatory information**

Observe in addition any national regulations!

**Restrictions of occupation**

none

**Other regulations, restrictions and prohibition regulations**

-

#### **15.2. Chemical Safety Assessment**

**For this preparation a chemical safety assessment has been carried out. -**

For this substance a chemical safety assessment has not been carried out.

### **SECTION 16: Other Information**

#### **Relevant H- and EUH-phrases (number and full text)**

##### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

#### **Training advice**

Observe instructions for use.

#### **Recommended restrictions of use:**

Refer to chapter 1.

#### **Further information**

The information provided in this safety data sheet is correct to the best of our knowledge at the time of printing. The information is intended to provide guidance on the safe handling of the product specified in this safety data sheet during storage, processing, transport and disposal. The information is not transferable to other products. Insofar as the product is mixed, blended or processed with other materials or undergoes treatment, the information in this safety data sheet cannot be transferred to the new material thus produced, unless expressly stated otherwise.

#### **Key literature references and sources for data**

Data arise from reference works and literature.

#### **Abbreviations and acronyms**

AC: Artikelkategorie (Article Category)

ACGIH: Rat für Arbeitsschutz und Gefahrstoffe, Amerika (American Conference of Government Industrial Hygienists)

ADN: Europäisches Übereinkommen über die internationale Beförderung gefährlicher Güter auf Binnengewässern (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)


ADR: Europäisches Übereinkommen über die internationale Beförderung gefährlicher Güter auf der Straße (Accord européen relatif transport des marchandises dangereuses par route)

AGW: Arbeitsplatzgrenzwert

AOX: Adsorbierbare organisch gebundene Halogene (Adsorbable Organic halogen compounds)

Bw: Körpergewicht (Body weight)

CMR: Stoffe klassifiziert als Krebs erzeugend, Mutagen oder Reproduktionstoxisch (Carcinogenic, Mutagenic, toxic for Reproduction)

<b>Material Safety Data Sheet</b> according to (EC) 1907/2006	
<b>Tradename:</b>  <b>IMPRIMO® LC Temp</b>	Status: 28.05.2024 Page: 11 von 10

CSR: Stoffsicherheitsbericht (Chemical Safety Report)  
 DIN: Deutsches Institut für Normung / Deutsche Industrienorm  
 DNEL: Grenzwert, unterhalb dessen der Stoff keine Wirkung ausübt (Derived No Effect Level)  
 DPD: Zubereitungsrichtlinie / Richtlinie 1999-45-EC (Dangerous Preparations Directive)  
 DSD: Stoffrichtlinie / Richtlinie 67-548-EC (Dangerous Substances Directive)  
 DU: Nachgeschalteter Anwender (Downstream User)  
 EC50: Wirksame Konzentration 50% (Effective Concentration 50%)  
 ECHA: Europäische Chemikalienagentur  
 EN: Europäische Norm  
 EWC/EWL: Europäischer Abfallartenkatalog (European Waste Catalogue)  
 IATA: Verband für den internationalen Lufttransport (International Air Transport Association)  
 IBC: Großpackmittel (Intermediate Bulk Container)  
 ICAO: Internationale Zivilluftfahrt-Organisation (International Civil Aviation Organization)  
 IMDG Code: Gefahrgutvorschriften für den internationalen Seetransport (International Maritime Dangerous Goods Code)  
 IMO: Internationale Seeschiffahrts-Organisation (International Maritime Organization)  
 ISO: Internationale Normungsorganisation (International Standards Organisation)  
 LC50: Lethale (Tödliche) Konzentration 50%  
 LD50: Lethale (Tödliche) Dosis 50%  
 LEV: Lokale Absaugung (Local exhaust ventilation)  
 MAK: Maximale Arbeitsplatzkonzentration – DFG  
 n.a.: nicht anwendbar  
 n.b.: nicht bestimmt  
 OEL: Arbeitsplatzgrenzwert (Occupational Exposure Limit)  
 PBT: persistent, bioakkumulierbar, giftig (persistent, bioaccumulative, toxic)  
 PNEC: Abgeschätzte Nicht-Effekt-Konzentration (Predicted No Effect Concentration)  
 PPE/PSA: Persönliche Schutzausrüstung (Personal Protective Equipment)  
 REACH: Registrierung, Bewertung und Zulassung von Chemikalien (Registration, Evaluation and Authorization of Chemicals)  
 RID: Gefahrgutvorschriften für den Transport mit der Eisenbahn (Règlement International concernant le transport de marchandises dangereuses par chemin de fer)  
 STEL: Grenzwert für Kurzzeiteexposition (Short-term Exposure Limit)  
 SVHC: Stoff sehr hoher Besorgnis (Substance of Very High Concern)  
 TLV: Arbeitsplatzgrenzwert (Threshold Limit Value)  
 VOC: Flüchtige organische Kohlenwasserstoffe (Volatile Organic Compounds)  
 vPvB: sehr persistent, sehr bioakkumulierbar (very persistent, very bioaccumulative)